



Video Door Phone System

Color Video Door Phone Series




Item	Model	Functions	Specification	Photo
Two Wires, Hand Free Color Video Door Phone	EFO-298C-3	<ul style="list-style-type: none"> ● Visitor calling; Hand Free Video intercom; ● Unlock; monitor ● With hand-move warm threaten function ● Auto turn off ● Infrared Night version ● Video and audio output ● Can move the height and defend the rain effectively 	<ul style="list-style-type: none"> ● Power course: DC 16V ● Screen : 3.5"/5" TFT LCD ● Effective resolution : 480(H)×234(V)/960(H)×234(V) ● External dimension: 185(L)×130(W)×27(H)(mm) 127(L)×95(W)×35(H)(mm) ● Installation: Hanging Style ● Connection: Two wires connection 	
	EFO-298C-5			
Two Wires, Hand Free Color Video Door Phone	EFO-298C-3 M	<ul style="list-style-type: none"> ● Visitor calling; Hand Free Video intercom; ● Unlock; monitor ● With hand-move warm threaten function ● Auto turn off ● Infrared Night version ● Video and audio output ● Can move the height and defend the rain effectively 	<ul style="list-style-type: none"> ● Power course : DC 16V ● Screen : 3.5"/5" TFT LCD ● Effective resolution : 480(H)×234(V)/960(H)×234(V) ● External dimension: 185(L)×130(W)×27(H)(mm) 132(L)×80(W)×22.4(H)(mm) ● Installation: Hanging Style ● Connection: Two wires connection 	
	EFO-298C-5 M			

E-Focus Industrial Co., Ltd

website: www.securitcn.com email: info@securitcn.com

Tel: +86 755 8341 8779

Fax: +86 755 8825 0226




Four Wires, Hand Free Color Video Door Phone	EFO-258C-3	<ul style="list-style-type: none"> ● Visitor calling; Hand Free Video intercom; ● Unlock; monitor ● With hand-move warm threaten function 	<ul style="list-style-type: none"> ● Power course : DC 16V ● Screen : 3.5"/5" TFT LCD ● Effective resolution : 480(H)×234(V)/960(H)×234(V) ● External dimension: 185(L)×130(W)×27(H)(mm) 160(L)×70(W)×26(H)(mm) ● Installation: Hanging Style ● Connection: Four wires connection 	
	EFO-258C-5	<ul style="list-style-type: none"> ● Auto turn off ● Infrared Night version ● Video and audio output 		
Four Wires, Hand Free Color Video Door Phone	EFO-258C-3 M	<ul style="list-style-type: none"> ● Visitor calling; Hand Free Video intercom; ● Unlock; monitor ● With hand-move warm threaten function 	<ul style="list-style-type: none"> ● Power course: DC 16V ● Screen: 3.5"/5" TFT LCD ● Working temperature : -15℃~+50℃ ● Effective resolution : 480(H)×234(V)/960(H)×234(V) ● External dimension: 185(L)×130(W)×27(H)(mm) 132(L)×80(W)×22.4(H)(mm) ● Installation: Hanging Style ● Connection: Four wires connection 	
	EFO-258C-5 M	<ul style="list-style-type: none"> ● Auto turn off ● Infrared Night version ● Video and audio output ● 		
Four Wires, Hand Free Color Video Door Phone	EFO-278C-3	<ul style="list-style-type: none"> ● Visitor calling; Hand Free Video intercom; ● Unlock; monitor ● With hand-move warm threaten function 	<ul style="list-style-type: none"> ● Power course: DC 16V ● Power course: 3.5"/5" TFT LCD ● Effective resolution : 480(H)×234(V)/960(H)×234(V) ● External dimension: 185(L)×130(W)×27(H)(mm) 127(L)×95(W)×35(H)(mm) ● Installation: Hanging Style ● Connection: Four wires connection 	
	EFO-278C-5 Extension (550)	<ul style="list-style-type: none"> ● Auto turn off ● Infrared Night version ● Video and audio output ● Can move the height and defend the rain effectively 		

E-Focus Industrial Co., Ltd

website: www.securitcn.com email: info@securitcn.com

Tel: +86 755 8341 8779

Fax: +86 755 8825 0226



Hand Free Color Video Door Phone	EFO-288C (two lines)	<ul style="list-style-type: none"> ● Visitor calling; Hand Free Video intercom; ● Unlock; monitor ● With hand-move warm threaten function ● Auto turn off ● Infrared Night version ● Video and audio output ● Can move the height and defend the rain effectively 	<ul style="list-style-type: none"> ● Power course: AC 110V~240V ● External dimension: 250(L)×180(W)×26(H)(mm) 127(L)×95(W)×35(H)(mm) ● Installation: Hanging Style ● Connection: Four wires connection 	
Four Wires, Hand Free Color Video Door Phone	EFO-228BC	<ul style="list-style-type: none"> ● Visitor calling; Hand Free Video intercom; ● Unlock; monitor ● With hand-move warm threaten function ● Auto turn off ● Accept image storage and store it 	<ul style="list-style-type: none"> ● Power course : DC 16V ● Screen : 3.5" TFT LCD ● Effective resolution: 480(H)×234(V) ● External dimension: 215(L)×212(W)×67(H)(mm) 160(L)×70(W)×26(H)(mm) ● Installation: Hanging Style ● Connection: Four wires connection 	
Two Wires, Ultrathin Color Video Door Phone	EFO-228C II +	<ul style="list-style-type: none"> ● Visitor calling; Hand Free Video intercom; ● Unlock; monitor ● With hand-move warm threaten function ● Auto turn off ● Infrared Night version ● Video and audio output ● Accept image storage and store it 	<ul style="list-style-type: none"> ● Power course : AC 110V~240V ● Screen : 3.5" TFT LCD ● Effective resolution: 480(H)×234(V) ● External dimension: 215(L)×178(W)×35(H)(mm) 146(L)×95(W)×32(H)(mm) ● Installation: Hanging Style ● Connection: Two wires connection 	

E-Focus Industrial Co., Ltd

website: www.securitcn.com email: info@securitcn.com

Tel: +86 755 8341 8779

Fax: +86 755 8825 0226




Ultra thin Color Video Door Phone	EFO-228C II	<ul style="list-style-type: none"> ● Visitor calling; Hand Free Video intercom; ● Unlock; monitor ● With hand-move warm threaten function 	<ul style="list-style-type: none"> ● Power course : AC 110V~240V ● Screen : 3.5" TFT LCD ● Effective resolution: 480(H)×234(V) ● External dimension : 215(L)×178(W)×35(H)(mm) ● Internal dimension : 146(L)×95(W)×32(H)(mm) ● Installation: Hanging Style ● Connection: Four wires connection 	
Color Video Door Phone	EFO-228C+2	<ul style="list-style-type: none"> ● Visitor calling; Hand Free Video intercom; ● Unlock; monitor ● With hand-move warm threaten function ● Infrared Night version ● Video and audio output ● Can move the height and defend the rain effectively ● Two pcs extension door phone can be connected 	<ul style="list-style-type: none"> ● Power course : AC 110V~240V ● Screen : 3.5" TFT LCD ● Effective resolution: 480(H)×234(V) ● External dimension: 225(L)×190(W)×62(H)(mm) ● Internal dimension: 127(L)×95(W)×35(H)(mm) ● Installation: Hanging Style ● Match way: one to one, one to two ● Connection: Two/Five wires connection 	
	EFO-228C+			

E-Focus Industrial Co., Ltd

website: www.securitcn.com email: info@securitcn.com

Tel: +86 755 8341 8779

Fax: +86 755 8825 0226




Color Video Door Phone	EFO-228CIII	<ul style="list-style-type: none"> ● Visitor calling; Hand Free Video intercom; ● Unlock; monitor ● With hand-move warm threaten function ● Infrared Night version ● Video and audio output ● Accept image storage and store it 	<ul style="list-style-type: none"> ● Power course: AC 110V~240V ● Screen: 3.5" TFT LCD ● Effective resolution: 480(H)×234(V) ● External dimension: 225(L)×192(W)×54(H)(mm) 146(L)×95(W)×32(H)(mm) ● Installation: Hanging Style ● Match way: one to one ● Connection: Two/Five wires connection 	
Color Video Door Phone	EFO-228DC	<ul style="list-style-type: none"> ● Visitor calling; Hand Free Video intercom; ● Unlock; monitor ● With hand-move warm threaten function 	<ul style="list-style-type: none"> ● Power course: AC 110V~240V ● Screen: 3.5" TFT LCD ● Effective resolution: 480(H)×234(V) ● External dimension: 225(L)×190(W)×62(H)(mm) 157(L)×110(W)×45(H)(mm) ● Installation: Hanging Style ● Connection: Four wires connection 	
	EFO-228DC-2	<ul style="list-style-type: none"> ● Infrared Night version ● Video and audio output ● Accept image storage and store it 		
Color Video Door Phone	EFO-228MC+	<ul style="list-style-type: none"> ● Visitor calling; Hand Free Video intercom; ● Unlock; monitor ● With hand-move warm threaten function ● Infrared Night version ● Video and audio output ● Accept image storage and store it 	<ul style="list-style-type: none"> ● Power course: AC 110V~240V ● Display Tube: 3.5" TFT LCD ● Effective resolution: 480(H)×234(V) ● External dimension: 225(L)×190(W)×62(H)(mm) 160(L)×70(W)×26(H)(mm) ● Installation: Hanging Style ● Connection: Four wires connection 	

E-Focus Industrial Co., Ltd

website: www.securitcn.com email: info@securitcn.com

Tel: +86 755 8341 8779

Fax: +86 755 8825 0226



<p>Color Video Door Phone/Non video Door Phone</p>	<p>EFO-228MCF</p>	<ul style="list-style-type: none"> ● Visitor calling; Hand Free Video intercom; ● Unlock; monitor ● With hand-move warm threaten function ● Infrared Night version ● Accept image storage and store it ● Video and audio output ● Call between extensions ● Two pcs extension door phone can be connected 	<ul style="list-style-type: none"> ● Power course: AC 110V~240V ● Display Tube: 3.5" TFT LCD ● Effective resolution: 480(H)×234(V) ● Effective resolution: 480(H)×234(V) ● External dimension: 225(L)×190(W)×62(H)(mm) 210(L)×79(W)×45(H)(mm) 160(L)×70(W)×26(H)(mm) ● Installation: Hanging Style ● Connection: Four wires connection 	
<p>Color, Hand Free Video Door Phone</p>	<p>EFO-238C (Two lines)</p>	<ul style="list-style-type: none"> ● Visitor calling; Hand Free Video intercom; ● Unlock; monitor ● With hand-move warm threaten function ● Auto turn off ● Infrared Night version ● Video and audio output ● Accept image storage and store it ● Can move the height and defend the rain effectively 	<ul style="list-style-type: none"> ● Power course: DC 16V ● Screen: 3.5" TFT LCD ● Effective resolution: 480(H)×234(V) ● External dimension: 225(L)×170(W)×52(H)(mm) 127(L)×95(W)×35(H)(mm) ● InstallEation: Hanging Style ● Connection: Two/Four wires connection 	
	<p>EFO-278C (Four lines)</p>			
<p>Color, Hand Free Video Door Phone</p>	<p>EFO-296C (Two lines)</p>	<ul style="list-style-type: none"> ● Can move the height and defend the rain effectively 	<ul style="list-style-type: none"> ● Power course: DC 16V ● Screen: 3.5" TFT LCD ● Effective resolution: 480(H)×234(V) ● External dimension: 225(L)×170(W)×52(H)(mm) 127(L)×95(W)×35(H)(mm) ● Installation: Hanging Style 	
	<p>EFO-295C (Four lines)</p>			

E-Focus Industrial Co., Ltd

website: www.securitcn.com email: info@securitcn.com
 Tel: +86 755 8341 8779 Fax: +86 755 8825 0226

- Connection: Two/Four wires connection

Black/white Video Door Phone




Item	Model	Function	Specification	Photo
Handfree Black&white Video Door Phone	EFO-238 (Two lines)	<ul style="list-style-type: none"> ● Visitor calling ; Hand Free Video intercom; ● Unlock; monitor ● With hand-move warm threaten function ● Auto turn off ● Infrared Night version ● Video and audio output ● Accept image storage and store it ● Can move the height and defend the rain effectively ● Can move the height and defend the rain effectively 	<ul style="list-style-type: none"> ● Power course: DC 16V ● Screen: Class A four black&white flat tube ● Effective resolution: ≥420lines ● External dimension: 225(L)×170(W)×52(H)(mm) 127(L)×95(W)×35(H)(mm) ● Installation: Hanging Style ● Connection: Two/Four wires connection 	
	EFO-278 (Four lines) Extension (250)			
Two Wires, Handfree Black&white Video Door Phone	EFO-238M	<ul style="list-style-type: none"> ● Visitor calling ; Hand Free Video intercom; ● Unlock; monitor ● With hand-move warm threaten function ● Auto turn off ● Infrared Night version ● Video and audio output ● Accept image storage and store it ● Can move the height and defend the rain effectively 	<ul style="list-style-type: none"> ● Power course: DC 16V ● Screen: Class A four black&white flat tube ● Effective resolution: ≥420lines ● External dimension: 225(L)×170(W)×52(H)(mm) 132(L)×80(W)×22.4(H)(mm) ● Installation: Hanging Style ● Connection: Two wires connection 	

E-Focus Industrial Co., Ltd

website: www.securitcn.com email: info@securitcn.com

Tel: +86 755 8341 8779

Fax: +86 755 8825 0226




		<ul style="list-style-type: none"> ● Can move the height and defend the rain effectively 		
Six Wires, Handfree Black&white Video Door Phone	EFO-228A (One to one)	<ul style="list-style-type: none"> ● Visitor calling ; Hand Free Video intercom; ● Unlock; monitor ● With hand-move warm threaten function 	<ul style="list-style-type: none"> ● Power course: DC 16V ● Screen: Class A four black&white flat tube ● Effective resolution: ≥ 420lines ● External dimension: 223(L)\times192(W)\times72(H)(mm) 126(L)\times95(W)\times35(H)(mm) ● Installation: Hanging Style ● Connection: Six wires connection 	
	EFO-228A (two to one)	<ul style="list-style-type: none"> ● Auto turn off ● Infrared Night version ● Two pcs extension door phone can be connected ● Two manual/Auto monitor 		
Two Wires Black&white Video Door Phone	EFO-228III	<ul style="list-style-type: none"> ● Visitor calling ; Hand Free Video intercom; ● Unlock; monitor ● With hand-move warm threaten function ● Infrared Night version ● Video and audio output ● Accept image storage and store it 	<ul style="list-style-type: none"> ● Power course: AC 110V~240V ● Screen: Class A four black&white flat tube ● Effective resolution: ≥ 420lines ● External dimension: 225(L)\times192(W)\times54(H)(mm) 146(L)\times95(W)\times32(H)(mm) ● Installation: Hanging Style ● Connection: Two wires connection 	
Two Wires Black&white Video Door Phone	EFO-228V+2	<ul style="list-style-type: none"> ● Visitor calling ; Hand Free Video intercom; ● Unlock; monitor ● With hand-move warm threaten function ● Infrared Night version ● Video and audio output 	<ul style="list-style-type: none"> ● Power course : AC 110V~240V ● Screen: Class A four black&white flat tube ● Effective resolution: ≥ 420lines ● External dimension: 225(L)\times190(W)\times62(H)(mm) 127(L)\times95(W)\times35 (H)(mm) ● Installation: Hanging Style ● Connection: Two wires connection 	

E-Focus Industrial Co., Ltd

website: www.securitcn.com email: info@securitcn.com

Tel: +86 755 8341 8779

Fax: +86 755 8825 0226



		<ul style="list-style-type: none"> ● Can move the height and defend the rain effectively 		
Black&white Video Door Phone	EFO-228B	<ul style="list-style-type: none"> ● Visitor calling ; Hand Free Video intercom; ● Unlock; monitor ● With hand-move warm threaten function ● Infrared Night version ● Video and audio output ● Accept image storage and store it ● Two pcs extension door phone can be connected 	<ul style="list-style-type: none"> ● Power course: DC 16V ● Display Tube: Class A four black&white flat tube ● Effective resolution: ≥420lines ● External dimension: 215(L)×212(W)×67(H)(mm) 160(L)×70(W)×26(H)(mm) ● Installation: Hanging Style ● Connection: Four wires connection 	
Four Wires Black&white Video Door Phone	EFO-228D	<ul style="list-style-type: none"> ● Visitor calling ; Hand Free Video intercom; ● Unlock; monitor ● With hand-move warm threaten function ● Infrared Night version ● Video and audio output ● Accept image storage and store it ● Two pcs extension door phone can be connected 	<ul style="list-style-type: none"> ● Power course: AC 110V~240V ● Display Tube: Class A four black&white flat tube ● Effective resolution: ≥420lines ● External dimension: 225(L)×190(W)×62(H)(mm) 157(L)×110(W)×45(H)(mm) ● Installation: Hanging Style ● Connection: Four wires connection 	
	EFO-228D-2	<ul style="list-style-type: none"> ● Visitor calling ; Hand Free Video intercom; ● Unlock; monitor ● With hand-move warm threaten function ● Infrared Night version ● Video and audio output ● Accept image storage and store it ● Two pcs extension door phone can be connected 		
Black&white Video Door Phone	EFO-228M 分机 (230)	<ul style="list-style-type: none"> ● Visitor calling ; Hand Free Video intercom; ● Unlock; monitor ● With hand-move warm threaten function 	<ul style="list-style-type: none"> ● Power course: AC 110V~240V ● Display Tube: Class A four black&white flat tube ● Effective resolution: ≥420lines ● External dimension: 225(L)×190(W)×62(H)(mm) 160(L)×70(W)×26(H)(mm) 	

E-Focus Industrial Co., Ltd

website: www.securitcn.com email: info@securitcn.com

Tel: +86 755 8341 8779

Fax: +86 755 8825 0226


		<ul style="list-style-type: none"> ● Infrared Night version ● Video and audio output ● Accept image storage and store it ● Two pcs extension door phone can be connected 	<ul style="list-style-type: none"> ● Installation: Hanging Style ● Connection: Four wires connection 	
Black&white Video Door Phone/Non video Door Phone	EFO-228MF	<ul style="list-style-type: none"> ● Visitor calling ; Hand Free Video intercom; ● Unlock; monitor ● With hand-move warm threaten function ● Infrared Night version ● Video and audio output ● Accept image storage and store it ● Two pcs extension door phone can be connected 	<ul style="list-style-type: none"> ● Power course: AC 110V~240V ● Display Tube: Class A four black&white flat tube ● Effective resolution: ≥420lines ● External dimension: 225(L)×190(W)×62(H)(mm) 210(L)×79(W)×45(H)(mm) 160(L)×70(W)×26(H)(mm) ● Installation: Hanging Style ● Connection: Four wires connection 	
Black&white Video Door Phone	EFO-228V	<ul style="list-style-type: none"> ● Visitor calling ; Hand Free Video intercom; ● Unlock; monitor ● With hand-move warm threaten function ● Infrared Night version ● Video and audio output ● Accept image storage and store it ● Two pcs extension door phone can be connected 	<ul style="list-style-type: none"> ● Power course: AC 110V~240V ● Display Tube: Class A four black&white flat tube ● Effective resolution: ≥420lines ● External dimension: 225(L)×190(W)×62(H)(mm) 127(L)×97(W)×35(H)(mm) ● Installation: Hanging Style ● Connection: Five wires connection 	

E-Focus Industrial Co., Ltd



website: www.securitcn.com email: info@securitcn.com

Tel: +86 755 8341 8779

Fax: +86 755 8825 0226

<p>Black&white Video Door Phone</p>	<p>EFO-228VF</p>	<ul style="list-style-type: none"> ● Visitor calling ; Hand Free Video intercom; ● Unlock; monitor ● With hand-move warm threaten function ● Infrared Night version ● Defend-unload Alarm ● Video and audio output ● Call between extensions 	<ul style="list-style-type: none"> ● Power course: AC 110V~240V ● Display Tube: Class A four black&white flat tube ● Working temperature : -15℃~+50℃ ● Effective resolution: ≥420lines ● External dimension: 225(L)×190(W)×62(H)(mm) 127(L)×97(W)×35(H)(mm) ● Installation: Hanging Style ● Connection: Five wires connection 	
---	------------------	---	--	---



Display Models Series

Item	Model	Function	Specification	Photo
<p>TFT Color Display Models</p>	<p>EFOV-935</p>	<ul style="list-style-type: none"> ● Used for Video door phone ● Other display equipment 	<ul style="list-style-type: none"> ● Power course: DC 12V ● Working temperature: 0℃~+40℃ ● Screen: 3.5" TFT LCD ● External dimension: 108(L)×88(W)×22(H)mm 126(L)×102(W)×22(H)mm 	
<p>TFT Color Display Models</p>	<p>EFOV-950</p>	<ul style="list-style-type: none"> ● Used for Video door phone ● Other display equipment 	<ul style="list-style-type: none"> ● Power course: DC 12V ● Working temperature: 0℃~+40℃ ● Screen: 5" TFT LCD ● External dimension: 145(L)×106(W)×24(H)mm 145(L)×120(W)×24(H)mm (

E-Focus Industrial Co., Ltd

website: www.securitcn.com
 Tel: +86 755 8341 8779

email: info@securitcn.com
 Fax: +86 755 8825 0226

CRT Black&White Display Models	EFOV-900	<ul style="list-style-type: none"> Used for Video door phone 	<ul style="list-style-type: none"> Power course: DC 12V Working temperature: -15°C~+50°C Screen: Class A four black&white flat tube External dimension: 204(L)×104(W)×34(H)mm 	
	EFOV-900C	<ul style="list-style-type: none"> Used for Video door phone 	<ul style="list-style-type: none"> Power course: DC 12V Working temperature: -15°C~+50°C Screen: 3.5" TFT LCD External dimension: 204(L)×104(W)×34(H)mm 	

Contact Details:

E-Focus Industrial Co., Ltd

E-mail: info@securitcn.com or efocusindustrial@163.com

Online Contact:

MSN: barry588o@hotmail.com

Yahoo : barry588g

Skype: Barry.Jen

Tel: 0086 755 8341 8779