

EPORDO

Smart Home, Smart Lock

EPORDO Door Lock Dept.,



Product Parameters

Item: Fingerprint Smart Lock

Material: Aluminum alloy + Tempered glass

Power Supply: 4 *AA Alkaline Battery

Size: 65*260mm

Color: Black, Silver, Red bronze

G.Weight: 2.5kg/set , 10 set/ctn, 21.5kg, 64.5*38*37 cm

Door thickness: 38-55mm


Unlock: **APP** & Password & Fingerprint & card & key


Standard Mortise: 5050*22*160mm (Other sizes can be negotiated)


Languages: English (Main)

Note: Please confirm the model, color, APP, mortise and QTY before placing an order.

7 Languages

 English

 Vietnamese

 Portuguese

 Arabic

 Russian

 Kazakh

 Spanish



Product Parameters

Item: Fingerprint Smart Lock

Material: Aluminum alloy

Power Supply: 4 *AA Alkaline Battery

Size: 65*280mm

Color: Black


Door thickness: 38-55mm


Unlock: **APP** & Password & Fingerprint & card & key


Standard Mortise: 5050*22*160mm (Other sizes can be negotiated)

Languages: English (Main)

7 Languages

 English

 Vietnamese

 Portuguese

 Arabic

 Russian

 Kazakh

 Spanish



Note: Please confirm the model, color, APP, mortise and QTY before placing an order.

Product Parameters

Item: Fingerprint Smart Lock

Material: Zinc alloy + Tempered glass

Power Supply: 4 *AA Alkaline Battery

Size: 75*345mm

Color: Black, Red bronze

G.Weight: 5kg/set , 6 set/ctn, 25kg, 46.5*44*48.5 cm

Unlock: APP & Password & Fingerprint & card & key

Standard Mortise: 6068*24*240mm (Other sizes can be negotiated)

Languages: English (Main) (new version support 22 Languages)

Note: Please confirm the model, color, APP, mortise and QTY before placing an order.

-  English
-  Vietnamese
-  Portuguese
-  Arabic
-  Russian
-  Thai
-  Spanish
-  Indonesian
-  France



Product Parameters

Item: Fingerprint Smart Lock

Material: Aluminum alloy + Tempered glass

Power Supply: 8 *AA Alkaline Battery

Size: 75*375mm

Color: Black

G.Weight: 5kg/set , 6 set/ctn, 25kg, 46.5*44*48.5 cm

Door thickness: 40-120mm

Unlock: APP & Password & Fingerprint & card & key

Standard Mortise: 6068*24*240mm (Other sizes can be negotiated)

Languages: English (Main)(without camera support 22 Languages)

Note: Please confirm the model, color, APP, mortise and QTY before placing an order.

-  English
-  Vietnamese
-  Portuguese
-  Arabic
-  Russian
-  Thai
-  Spanish
-  Indonesian
-  France



Product Parameters

Item: Fingerprint Smart Lock

Material: Aluminum alloy

Power Supply: 4*AA Alkaline Battery (without face ID)

2500 mAh Lithium Battery (S859MAX face ID)

Color: Black

Door thickness: 40-120mm

Unlock: **APP** & Face ID & Password & Fingerprint & card & key

Standard Mortise: 6068*24*240mm (Other sizes can be negotiated-6085)

Languages: English (Main) (without face id support 22 Languages)

Note: Please confirm the model, color, APP, mortise and QTY before placing an order.

-  English
-  Vietnamese
-  Portuguese
-  Arabic
-  Russian
-  Thai
-  Spanish
-  Indonesian
-  France



Product Parameters

Item: Fingerprint Smart Lock (**CNC**)

Material: Aluminum alloy + Tempered glass

Power Supply: 4*AA Alkaline Battery (without face ID)
2500 mAh Lithium Battery (S869MAX face ID)

Color: Black/Gold

Door thickness: 40-120mm

Unlock: **APP** & Face ID & Password & Fingerprint & card & key

Standard Mortise: 6068*24*240mm (**Electronic lock body**)

Languages: English (Main) (**without face id support 22 Languages**)

Note: Please confirm the model, color, APP, mortise and QTY before placing an order.

-  English
-  Vietnamese
-  Portuguese
-  Arabic
-  Russian
-  Thai
-  Spanish
-  Indonesian
-  France



Product Parameters

Item: Face Smart Lock

Material: Aluminum alloy

Power Supply: 2500 mAh Battery

Size: 63*193mm

Color: Black

G.Weight: 2kg/set , 10 set/ctn

Door thickness: 38-55mm

Emergency Power Supply: 5V (Type C USB)

Unlock: **APP** & Face & Palm Vein & Password & Fingerprint & card & key

Standard Mortise: Single Latch 60mm (Other sizes can be negotiated)

Languages: English (Main)

Note: Please confirm the model, color, APP, mortise and QTY before placing an order.

-  English
-  Vietnamese
-  Portuguese
-  Arabic
-  Russian
-  Thai
-  Spanish
-  Indonesian
-  France

7 Ways to Unlock

Open the door smarter and easier

-  Palm Vein
-  3D Face
-  Fingerprint
-  Password
-  Key
-  CARD
-  APP



Product Parameters

Item: Fingerprint Smart Lock

Material: Aluminum alloy + Acrylic

Power Supply: 4 *AA Alkaline Battery

Size: 73*193mm

Color: Black

G.Weight: 2kg/set , 10 set/ctn

Door thickness: 38-55mm

Emergency Power Supply: 5V (Type C USB)

Unlock: APP & Password & Fingerprint & card & key

Standard Mortise: Single Latch 60mm (Other sizes can be negotiated)

Languages: English (Main)

Note: Please confirm the model, color, APP, mortise and QTY before placing an order.

-  English
-  Vietnamese
-  Portuguese
-  Arabic
-  Russian
-  Thai
-  Spanish
-  Indonesian
-  France



Product Parameters

Item: Fingerprint Smart Lock

Material: Aluminum alloy

Power Supply: 4 *AA Alkaline Battery

Color: Black, Silver, Red bronze

Door thickness: 38-55mm

Unlock: APP & Password & Fingerprint & card & key

Standard Mortise: 5050-22*160mm (Other sizes can be negotiated)

Languages: English (Main)

Note: Please confirm the model, color, APP, mortise and QTY before placing an order.

-  English
-  Vietnamese
-  Portuguese
-  Arabic
-  Russian
-  Thai
-  Spanish
-  Indonesian
-  France



Product Parameters

Item: Fingerprint Smart Lock

Material: Aluminum alloy

Power Supply: 4*AA Alkaline Battery

Color: Black

Door thickness: 40-120mm

Unlock: APP & Password & Fingerprint & card & key

Standard Mortise: 6068*24*240mm (Other sizes can be negotiated)

Languages: English (Main)(new version support 22 Languages)

Note: Please confirm the model, color, APP, mortise and QTY before placing an order.

-  English
-  Vietnamese
-  Portuguese
-  Arabic
-  Russian
-  Thai
-  Spanish
-  Indonesian
-  France



Product Parameters

Item: Fingerprint Smart Lock with Camera

Material: Aluminum alloy + Acrylic

Power Supply: 4 *AA Alkaline Battery

Size: 65*260mm

Color: Black, Red bronze, Silver

G.Weight: 2.5kg/set , 10 set/ctn, 20.5kg,58*41.5*34.5 cm

Door thickness: 38-55mm

Emergency Power Supply: 5V (Type C USB)

Unlock: **Tuya** Wifi APP & Password & Fingerprint & card & key

Standard Mortise: 5050*22*160mm (Other sizes can be negotiated)

Languages: English (Main)

Note: Please confirm the model, color, APP, mortise and QTY before placing an order.

-  English
-  Vietnamese
-  Portuguese
-  Arabic
-  Russian
-  Thai
-  Spanish
-  Indonesian
-  France



Product Parameters

Item: Fingerprint Smart Lock with Camera

Material: Aluminum alloy + Tempered glass

Power Supply: 8 *AA Alkaline Battery

Size: 75*390mm

Color: Black, Red bronze, Silver

G.Weight: 4.5kg/set , 6 set/ctn, 21.5kg,50*41*45 cm

Door thickness: 40-120mm

Emergency Power Supply: 5V (Type C USB)

Unlock: **Tuya** Wifi APP & Password & Fingerprint & card & key

Standard Mortise: 6068*24*240mm (Other sizes can be negotiated)

Languages: English (Main)

Note: Please confirm model, color, APP, mortise and QTY before placing an order.

-  English
-  Vietnamese
-  Portuguese
-  Arabic
-  Russian
-  Thai
-  Spanish
-  Indonesian
-  France



Under factory state:

555666880#: Chinese 汉语

555666881#: English 英语

555666882#: Russian 俄语

555666883#: Spanish 西班牙语

555666884#: Arabic 阿拉伯语

555666885#: Vietnamese 越南语

555666886#: Portuguese 葡萄牙语

555666887#: Thai 泰语

555666888#: Indonesia 印尼语

555666889#: Kazakh 哈萨克语



Product Parameters

Item: Automatic Smart Lock

Material: Aluminum alloy

Power Supply: 7.4V 3200mAh Lithium-ion rechargeable battery

Color: Black

G.Weight: 5kg/set , 6 set/ctn, 50*40.5*45 cm

Door thickness: 40-120mm

Emergency Power Supply: 5V (Type C USB)

Unlock: **Tuya /TTLOCK** & Code & Fingerprint & Card & Key

Standard Mortise: 6068*24*240mm (Other sizes can be negotiated)

10 Languages: **English (Tuya)**

Note: Please confirm the model, color, APP, mortise and QTY before placing an order.

Under factory state:

555666880#: Chinese 汉语

555666881#: English 英语

555666882#: Russian 俄语

555666883#: Spanish 西班牙语

555666884#: Arabic 阿拉伯语

555666885#: Vietnamese 越南语

555666886#: Portuguese 葡萄牙语

555666887#: Thai 泰语

555666888#: Indonesia 印尼语

555666889#: Kazakh 哈萨克语



Product Parameters

Item: Automatic Smart Lock

Material: Aluminum alloy

Power Supply: 7.4V 3200mAh Lithium-ion rechargeable battery

Color: Black

G.Weight: 5kg/set , 6 set/ctn, 50*40.5*45 cm

Door thickness: 40-120mm

Emergency Power Supply: 5V (Type C USB)

Unlock: **Tuya /TTLOCK** & Code & Fingerprint & Card & Key

Standard Mortise: 6068*24*240mm (Other sizes can be negotiated)

10 Languages: **English (Tuya)**

Note: Please confirm the model, color, APP, mortise and QTY before placing an order.

22 Languages: 888#

3000#		Chinese
3001#		English
3002#		Traditional Chinese
3003#		Russian
3004#		Vietnamese
3005#		Korean
3006#		Arabic
3007#		Portuguese
3008#		French
3009#		Spanish
3011#		Indonesian
3012#		Thai
3013#		Hebrew
3014#		Turkish
3015#		Italian
3016#		Mongolian
3017#		Uzbek
3018#		Kazakh
3019#		Serbian
3020#		Korean
3022#		Japanese
3023#		Farsi



Product Parameters

Item: 3D Face Lock with Camera

Material: Aluminum alloy

Power Supply: 7.4V 5000mAh Lithium-ion rechargeable battery

Color: Black

G.Weight: 5.5kg/set , 6 set/ctn, 50*40.5*45 cm

Door thickness: 40-120mm

Emergency Power Supply: 5V (Type C USB)

Unlock: 3D Face & Palm Vein & **Tuya Active Video Calling** & Code & Fingerprint
& Card & Key

Standard Mortise: 6068*24*240mm (Other sizes can be negotiated)

22 Languages: **English (Main)**

Note: Please confirm the model, color, APP, mortise and QTY before placing an order.

22 Languages: 888#

- | | | |
|-------|---|---------------------|
| 3000# |  | Chinese |
| 3001# |  | English |
| 3002# |  | Traditional Chinese |
| 3003# |  | Russian |
| 3004# |  | Vietnamese |
| 3005# |  | Korean |
| 3006# |  | Arabic |
| 3007# |  | Portuguese |
| 3008# |  | French |
| 3009# |  | Spanish |
| 3011# |  | Indonesian |
| 3012# |  | Thai |
| 3013# |  | Hebrew |
| 3014# |  | Turkish |
| 3015# |  | Italian |
| 3016# |  | Mongolian |
| 3017# |  | Uzbek |
| 3018# |  | Kazakh |
| 3019# |  | Serbian |
| 3020# |  | Korean |
| 3022# |  | Japanese |
| 3023# |  | Farsi |



Product Parameters

Item: 3D Face Lock with Camera

Material: Aluminum alloy

Power Supply: 7.4V 5000mAh Lithium-ion rechargeable battery

Color: Black

G.Weight: 5.5kg/set , 6 set/ctn, 50*40.5*45 cm

Door thickness: 40-120mm

Emergency Power Supply: 5V (Type C USB)

Unlock: 3D Face & Palm Vein & Tuya Active Video Calling & Code & Fingerprint & Card & Key

Standard Mortise: 6068*24*240mm (Other sizes can be negotiated)

22 Languages(for matter system face lock)

Note: Please confirm the model, color, APP, mortise and QTY before placing an order.

22 Languages: 888#

3000#		Chinese
3001#		English
3002#		Traditional Chinese
3003#		Russian
3004#		Vietnamese
3005#		Korean
3006#		Arabic
3007#		Portuguese
3008#		French
3009#		Spanish
3011#		Indonesian
3012#		Thai
3013#		Hebrew
3014#		Turkish
3015#		Italian
3016#		Mongolian
3017#		Uzbek
3018#		Kazakh
3019#		Serbian
3020#		Korean
3022#		Japanese
3023#		Farsi



Product Parameters

Item: 3D Face Lock with Camera

Material: Aluminum alloy

Power Supply: 7.4V 5000mAh Lithium-ion rechargeable battery

Color: Black

G.Weight: 5.5kg/set , 6 set/ctn

Door thickness: 40-120mm

Emergency Power Supply: 5V (Type C USB)

Unlock: 3D Face & Palm Vein & **Tuya Active Video Calling** & Code & Fingerprint
& Card & Key

Standard Mortise: 6068*24*240mm (Other sizes can be negotiated)

22 Languages: **English (Main)**

Note: Please confirm the model, color, APP, mortise and QTY before placing an order.

21 Languages:

- 3000#  Chinese
- 3001#  English
- 3002#  Traditional Chinese
- 3003#  Russian
- 3004#  Vietnamese
- 3005#  Korean
- 3006#  Arabic
- 3007#  Portuguese
- 3008#  French
- 3009#  Spanish
- 3011#  Indonesian
- 3012#  Thai
- 3013#  Hebrew
- 3014#  Turkish
- 3015#  Italian
- 3016#  Mongolian
- 3017#  Uzbek
- 3018#  Kazakh
- 3019#  Serbian
- 3020#  Korean
- 3022#  Japanese



Product Parameters

Item: 3D Face Lock with Camera

Material: Aluminum alloy

Power Supply: 7.4V 5000mAh Lithium-ion rechargeable battery

Size: 65*450mm

Color: Black

G.Weight: 5.5kg/set , 6 set/ctn

Door thickness: 40-120mm

Emergency Power Supply: 5V (Type C USB)

Unlock: 3D Face & Palm Vein & **Tuya Video Calling** & Code & Fingerprint & Card & Key

Standard Mortise: 6068*24*240mm (Other sizes can be negotiated)

22 Languages: **English (Main)**

Note: Please confirm the model, color, APP, mortise and QTY before placing an order.

22 Languages: 888#

3000#		Chinese
3001#		English
3002#		Traditional Chinese
3003#		Russian
3004#		Vietnamese
3005#		Korean
3006#		Arabic
3007#		Portuguese
3008#		French
3009#		Spanish
3011#		Indonesian
3012#		Thai
3013#		Hebrew
3014#		Turkish
3015#		Italian
3016#		Mongolian
3017#		Uzbek
3018#		Kazakh
3019#		Serbian
3020#		Korean
3022#		Japanese
3023#		Farsi



Product Parameters

Item: 3D Face Lock with Camera

Material: Aluminum alloy

Power Supply: 7.4V 5000mAh Lithium-ion rechargeable battery

Size: 65*445mm

Color: Black

G.Weight: 5.5kg/set , 6 set/ctn

Door thickness: 40-120mm

Emergency Power Supply: 5V (Type C USB)

Unlock: 3D Face & Palm Vein & **Tuya Video Calling** & Code & Fingerprint & Card & Key

Standard Mortise: 6068*24*240mm (Other sizes can be negotiated)

22 Languages: **English (Main)**

Note: Please confirm the model, color, APP, mortise and QTY before placing an order.

22 Languages: 888#

3000#		Chinese
3001#		English
3002#		Traditional Chinese
3003#		Russian
3004#		Vietnamese
3005#		Korean
3006#		Arabic
3007#		Portuguese
3008#		French
3009#		Spanish
3011#		Indonesian
3012#		Thai
3013#		Hebrew
3014#		Turkish
3015#		Italian
3016#		Mongolian
3017#		Uzbek
3018#		Kazakh
3019#		Serbian
3020#		Korean
3022#		Japanese
3023#		Farsi



Product Parameters

Item: 3D Face Lock with Camera (CNC)

Material: Aluminum alloy+ Tempered glass

Power Supply: 7.4V 5000mAh Lithium-ion rechargeable battery

Color: Gun Black

G.Weight: 8 kg/set , 6 set/ctn

Door thickness: 40-120mm

Emergency Power Supply: 5V (Type C USB)

Unlock: 3D Face & Palm Vein & Tuya Video Calling & Code & Fingerprint & Card & Key

Standard Mortise: 6068*24*240mm (Other sizes can be negotiated)

22 Languages: English (Main)

Note: Please confirm the model, color, APP, mortise and QTY before placing an order.

22 Languages: 888#

3000#		Chinese
3001#		English
3002#		Traditional Chinese
3003#		Russian
3004#		Vietnamese
3005#		Korean
3006#		Arabic
3007#		Portuguese
3008#		French
3009#		Spanish
3011#		Indonesian
3012#		Thai
3013#		Hebrew
3014#		Turkish
3015#		Italian
3016#		Mongolian
3017#		Uzbek
3018#		Kazakh
3019#		Serbian
3020#		Korean
3022#		Japanese
3023#		Farsi



Product Parameters

Item: 3D Face Lock with Camera (CNC)

Material: Aluminum alloy+ Tempered glass

Power Supply: 7.4V 5000mAh Lithium-ion rechargeable battery

Color: Gun Black

G.Weight: 6.5kg/set , 6 set/ctn

Door thickness: 40-120mm

Emergency Power Supply: 5V (Type C USB)

Unlock: 3D Face & Palm Vein & Tuya Video Calling & Code & Fingerprint & Card & Key

Standard Mortise: 6068*24*240mm (Other sizes can be negotiated)

22 Languages: English (Main)

Note: Please confirm the model, color, APP, mortise and QTY before placing an order.

Product Parameters

Item: Fingerprint Smart Lock

Material: Aluminum alloy

Power Supply: 7.4 V, 2500mAh, 18.5Wh Battery

Size: 72*231mm

Color: Black

Door thickness: 38-55mm

Emergency Power Supply: 5V (Type C USB)

Unlock: **Tuya** & Password & Fingerprint & card & key

Standard Mortise:5050-22*160mm (Other sizes can be negotiated)

Languages: English (Main)

-  English
-  Vietnamese
-  Portuguese
-  Arabic
-  Russian
-  Thai
-  Spanish
-  Indonesian
-  France

Note: Please confirm the model, color, APP, mortise and QTY before placing an order.



Product Parameters

Item: Fingerprint Smart Lock **IP65**

Material: Aluminum alloy

Power Supply: 4 *AA Alkaline Battery

Size: 34*320mm

Color: Black

Door thickness: 30-60mm

Unlock: **APP** & Password & Fingerprint & card & key

Standard Mortise: 3585*22*240mm (Other sizes can be negotiated)

Languages: English (Main)

Note: Please confirm the model, color, APP, mortise and QTY before placing an order.



Product Parameters

Fingerprint/Card/Password/Mechanical key/TTlock APP

Size: 316×31×19MM

Material: aluminium alloy

Mobile management ; Bluetooth function ;

Product color: black/Silver

Fingerprint acquisition: semiconductor fingerprint acquisition module

Card reading type: IC card

Power Supply: 4pcs AA battery

Record function : check door open records by App

Emergency port: USB port

Unlock method: fingerprint/password/card/app bluetooth/password

Fingerprint/Card/Password/: 300users

Place of Origin: China

Brand Name:EPORDO/dreamRANK



Product Parameters

Item: Fingerprint Smart Lock **IP65**

Material: Zinc alloy + Tempered glass

Power Supply: 4 *AA Alkaline Battery

Size: 37*350mm

Color: Black, Silver

G.Weight: 3.5kg/set , 10 set/ctn, 26kg, 49*44*39 cm

Door thickness: 30-60mm

Handle: Long, Round

Unlock: **APP** & Password & Fingerprint & card & key

Standard Mortise: 3585*22*240mm (Other sizes can be negotiated)

Special: It can work with 92/72/85 mortise

Languages: English (Main),Vietnamese, Portuguese, Arabic, Russian,

Thai, Spanish, Indonesian (Tuya support 8 Language)

Note: Please confirm the model, color, APP, mortise and QTY before placing an order.

-  English
-  Vietnamese
-  Portuguese
-  Arabic
-  Russian
-  Thai
-  Spanish
-  Indonesian
-  France



Product Parameters

Item: Fingerprint Smart Lock **IP65**

Material: Aluminum alloy

Power Supply: 4 *AAA Alkaline Battery

Size: 37*330mm

Color: Black, Silver, Gold

G.Weight: 4kg/set , 10 set/ctn

Door thickness: 30-60mm



Handle: Long, Round

Unlock: **Tuya/TTlock** APP & Password & Fingerprint & card & key

Standard Mortise: 3585*22*240mm (Other sizes can be negotiated)

Languages: English (Main)

Note: Please confirm the model, color, APP, mortise and QTY before placing an order.



Product Parameters

Item: 2 Sides Fingerprint Smart Lock **IP65**

Material: Aluminum alloy

Power Supply: 2000mAh lithium Battery

Color: Black, Silver

G.Weight: 4kg/set , 10 set/ctn

Door thickness: 30-60mm

Unlock: **TTlock/Tuya** APP & Password & Fingerprint & card & key

Standard Mortise: 3585*22*240mm (Other sizes can be negotiated)

Languages: English (Main)

Note: Please confirm the model, color, APP, mortise and QTY before placing an order.



Product Parameters

Item: Automatic Smart Lock **IP65**

Material: Zinc alloy

Power Supply: 8 *AA Alkaline Battery

Size: 88*441mm 88*817.5mm with extended handle

Color: Black bronze/ Red bronze

G.Weight: 8.5kg/set , 2set/ctn, 18kg


Door thickness: 40-120mm

Unlock: **Tuya** APP & Password & Fingerprint & card & key

Standard Mortise: 6068*24*240mm (Other sizes can be negotiated)

Languages: English (Main)

Note: Please confirm the model, color, APP, mortise and QTY before placing an order.



Product Parameters

Item: Mechanical Door Lock

Material: SUS304 stainless steel

Panel size: 43*190mm

Color: Silver/Black/red bronze

Working temperature: -70~100°C

G.Weight: 3kg/set

Door thickness: 38-100mm

Unlock: Mechanical Password

Standard Mortise: Single Latch

Note: Please confirm the model, color, APP, mortise and QTY before placing an order.



Product Parameters

Item: Mechanical Door Lock

Material: SUS304 stainless steel

Panel size: 43*360mm

Color: Black

Working temperature: -70~100°C

G.Weight: 5.5kg/set

Door thickness: 38-100mm

Unlock: Mechanical Password & Mechanical key

Standard Mortise: 3585

Note: Please confirm the model, color, APP, mortise and QTY before placing an order.



Product Parameters

Item: Waterproof Rim Lock

Material: Aluminum alloy +stainless

Panel size: 59*170mm(front panel) 100*133mm(back box)

Color: Black

G.Weight: 2.5kg/set

Door thickness: 30-90mm

Power Supply: 4 *AA Alkaline Battery

Unlock:**Tuya** /**TTlock** APP & Password & Fingerprint & card & key

Note: Please confirm the model, color, APP, mortise and QTY before placing an order.



Product Parameters

Item: Waterproof Rim Lock **IP65**

Material: Aluminum alloy +stainless

Panel size: 59*170mm(front panel) 100*133mm(back box)

Color: Black

G.Weight: 2.5kg/set

Door thickness: 30-90mm

Power Supply: 4 *AA Alkaline Battery

Unlock:**Tuya /TTlock** APP & Password & Fingerprint & card & key

Note: Please confirm the model, color, APP, mortise and QTY before placing an order.



Product Parameters

Item: Waterproof Rim Lock **IP65**

Material: Aluminum alloy +stainless

Panel size: 65**65*175mm(front panel) 131*100*44mm(back box)

Color: Black/Silver

G.Weight: 1.83kg/set, 10 sets/ctn/19kg, 49*49*23 CM

Door thickness: 20-80mm

Power Supply: 4 *AA Alkaline Battery (without face ID)

2000 mAh battery (Face ID lock)

Unlock:**Tuya /TTlock** APP & Password & Fingerprint & card & key

Note: Please confirm the model, color, APP, mortise and QTY before placing an order.





Product Parameters

Item: Digital Door Lock

Material: Aluminum alloy

Panel size: 68*150mm(front panel) 68*163mm(back panel)

Unlock: **Tuya Bluetooth/TTlock** APP & Password & Fingerprint & card & key

Color: Black

G.Weight: 2kg/set

Door thickness: 35-50mm

Standard Mortise: Single Latch 60/70mm

Power Supply: 4 *AA Alkaline Battery

Note: Please confirm the model, color, APP, mortise and QTY before placing an order.

Product Parameters

Item: Glass door Lock (DIY-No need Drill holes)

Face/Fingerprint capacity: 100 /100

Password/IC card capacity: 1000/1000

Extra remote controller (this is optional)

Unlocking Mode: Face recognition,Fingerprint,Password,IC card,mechanical keys,Remote controller(optional),TUYA wifi

Panel size: 172*68mm(front panel) 172*66mm(back panel)

Color: Black

G.Weight: 2.0kg/set

Door thickness: 8-12mm(glass door)

Power Supply: 7.4V/2800mAH lithium battery

Note: Please confirm the model, color, APP, mortise and QTY before placing an order.





Product Parameters

Item: Digital Door Lock

Material: Aluminum alloy

Panel size: 68*150mm(front panel) 81.6*149.3mm(back panel)

Unlock: **Tuya Bluetooth** APP & Password & Fingerprint & card & key

Color: Black

G.Weight: 2kg/set

Door thickness: 35-50mm

Power Supply: 4 *AA Alkaline Battery

Waterproof IP65 (Front panel)

Note: Please confirm the model, color, APP, mortise and QTY before placing an order.



Product Parameters

Item: Digital Door Lock

Material: Zinc alloy

Panel size: 68*150mm(front panel) 81.6*149.3mm(back panel)

Unlock: **Tuya /TTlock** & Password & Fingerprint & card & key

Color: Black/coffee gold

G.Weight: 2kg/set

Door thickness: 35-55mm

Standard Mortise: Single Latch 60/70mm

Power Supply: 4 *AAA Alkaline Battery

Note: Please confirm the model, color, APP, mortise and QTY before placing an order.



Product Parameters

Item: Digital Door Lock

Material: Aluminum alloy

Unlock: **Version 1:** Tuya BLE & Card & Password & Fingerprint & key

Version 2: TTLOCK & Password & Fingerprint & key

Color: Black


G.Weight: 1.5kg/set

Door thickness: 30-55mm

Standard Mortise: Single latch

Power Supply: 4 *AAA Alkaline Battery

Note: Please confirm the model, color, APP, mortise and QTY before placing an order.



Product Parameters

Item: Digital Door Lock

Material: Aluminum alloy

Unlock: **TTlock** & Password & Card & Fingerprint & key

Color: Black/Coffee Gold/Sliver


G.Weight: 1.5kg/set

Door thickness: 35-55mm

Standard Mortise: Single Latch 60/70mm

Power Supply: 4 *AAA Alkaline Battery

Note: Please confirm the model, color, APP, mortise and QTY before placing an order.



Product Parameters

Item: Digital Door Lock

Material: Aluminum alloy+Stainless

Unlock: **TTlock/Tuya BLE**& Fingerprint & key

Color: Black/Silver

G.Weight: 1.5kg/set , 30stes/ctn(44*39*46.8cm, 21.8kg)

Door thickness: 35-55mm

Standard Mortise: Single Latch 60/70mm

Power Supply: 480mah Lithium Battery

Note: Please confirm the model, color, APP, mortise and QTY before placing an order.



Product Parameters

Item: Digital Door Lock

Material: Aluminum alloy+Stainless

Unlock:Password & key

Color: Black/Silver

G.Weight: 1.5kg/set , 30stes/ctn(44*39*46.8cm, 21.8kg)

Door thickness: 35-55mm

Standard Mortise: Single Latch 60/70mm

Power Supply: 480mah Lithium Battery

Note: Please confirm the model, color, APP, mortise and QTY before placing an order.

Product Parameters

Item: Access control **IP66**

Material: Aluminum alloy

Unlock: TTlock Bluetooth App&Password& card
(Can be added 20000 cards)

Panel size: 125*79mm

Weight: 1kg/pcs


Color: Black

Note: Please confirm the model, color, APP, mortise and QTY before placing an order.



Wiring Diagram

Please note the power supply, electric locks, exit button is not included in the package, need to buy extra.



Support 20000 User Cards



App



Bluetooth



Password



Card

Product Parameters

Item: Glass Door Lock

Material: High-strength Aluminum alloy

Unlock: 3D Face & Tuya / TTlock & Password & Fingerprint & card & key

Panel size: 78*190mm

Power Supply: 1500mAh Lithium-ion rechargeable battery (G11MAX)

4*AA battery (G11S)


Door thickness: 8-12mm(glass door)

Color: Black


G.Weight: 2.5kg/set

The type of Door: A, B, C, D, E


Note: Please confirm model, color, APP, Type of Door and QTY before placing an order.




A



B



C



D



E

Product Parameters

Item: Glass Door Lock

Material: Aluminum alloy

Unlock: Tuya APP & Password & Fingerprint & card & key

Panel size: 70*190mm

Power Supply: 4 *AA Alkaline Battery

Door thickness: 8-12mm(glass door)


Color: Grey

G.Weight: 2.5kg/set

The type of Door: A, B, C, D, E

Advance: It can be changed number direction

Note: Please confirm model, color, APP, Type of Door and QTY before placing an order.



Product Parameters

Item: Glass Door Lock

Material: Aluminum alloy

Unlock: **Tuya /TTlock** APP & Password & Fingerprint & card & key

Panel size: 70*185mm

Power Supply: 4 *AA Alkaline Battery

Door thickness: 8-12mm(glass door)

Color: Champagne gold/Grey/Black

G.Weight: 2.5kg/set


The type of Door: A, B, C, D, E

Advance: It can be changed number direction



Note: Please confirm model, color, APP, **Type of Door** and QTY before placing an order.



Front Dimensions



Side Dimensions



Product Parameters

Item: Glass Door Lock

Material: High-strength Aluminum alloy

Unlock: 3D Face&Tuya/TTlock & Password & Fingerprint & card & key

Panel size: 76*193mm

Power Supply: 7.4V, 19.24Wh, 2600mAh rechargeable battery


Door thickness: 8-12mm(glass door), gap between door 3-12mm


Color: Black

G.Weight: 2.5kg/set

The type of Door: A, B, C, D

Note: Please confirm model, color, APP, Type of Door and QTY before placing an order.





invisible lock

No trace outside the door



outdoor effect



interior effect

Product Parameters

You can not see lock from outside!

The lock is installed inside room ;

item : Invisible door lock with TUYA APP bluetooth

Place of Origin: China

Brand Name:EPORDO/dreamRANK

Product Name:invisible door lock

Material:Plastic

colour:black

Weight:1kg

Card Type: M1 Card

Note: Please confirm the model, color, APP, mortise and QTY before placing an order.



Product Parameters

FACE、PALM、VIDEO INTERCOM、Fingerprint、Card、Tuya wifi

Product Material

Alumina

Fingerprint Sensor

FRR

Semiconductor

≤0.00004%

User Capacity

Product Size

face、Palm、Fingerprint、code、Card. 250 group

409mmX74.5mmx50mm

Door Types

Door thickness

Wooden door、anti-theft door、metal doors

40-120mm

Urgent Power

Power supply

Type-C /5V

Li-Battery

Passcode

Typical static current

6-8digits

<150 ma




TTlock wifi Gateway



Tuya Bluetooth Gateway




Tuya ZigBee Gateway




TThotel Card Encoder



TTlock Door Sensor



EDL180 Electric magnetic lock



EDL280 electric magnetic lock



EDL100 Electric bolt lock



frameless glass door lock electric bolt lock



EF-ACS02 power box



S86 (尺寸: 86*86mm)

Note: contact us for other accessories , RFID cards, card reader, Emergency Door Release and so on [WhatsApp: 0086 18665332487](https://www.whatsapp.com/channel/0029118665332487)